Adventure Trails
Trim Trail

Timber Trails

Dimensions do not include surfacing
FFH - Free Fall Height



Balance Walk
L 2400 W 125 H 433mm
FFH 433mm



Sloping Balance Walk
L 2400 W 125 H 434mm
FFH 434mm



Balance Beam
L 2400 W 200 H 435mm
FFH 435mm

Balance Junction
L 2400 W 2400 H 550mm
FFH 550mm





V Balance Beam
L 2002 W 2050 H 470mm
FFH 470mm

Balance Challenge
L 6900 W 1600 H 434mm
FFH 434mm



Three Bar Balance
L 5500 W 1115 H 511mm
FFH 511mm

Low Log Roll
L 3300 W 200 H 500mm
FFH 500mm

Timber Trails

Dimensions do not include surfacing
FFH - Free Fall Height

Balance Slalom
L 3250 W 1200 H 585mm
FFH 585mm

Sloping Balance Weave
L 2792 W 375 H 1800mm
FFH 555mm



Double Sloping Balance Weave
L 4589 W 1150 H 1800mm
FFH 570mm

Balance Weave
L 2800 W 375 H 1800mm
FFH 450mm

Walk and Stretch
L 2225 W 635 H 1000mm
FFH 300mm

Log Snake
L 1565 W 410 H 500mm
FFH 500mm

Log Snake Weaver
L1790 W 661 H 1500mm
FFH 300mm

Log Stack
L 1250 W 1800 H 560mm
FFH 560mm

150mm Stepping Logs (set of 4)
L 400 W 150 H 400mm
FFH 400mm

200mm Stepping Logs (set of 4)
L 400 W 200 H 400mm
FFH 400mm

Steel feet

Galvanised steel feet can be fitted on all Timber Trails for a small additional charge. Steel feet offer an alternative to in-ground timbers and can be used in both wet pour and extended for loose fill surfacing.

Timber Trails

Dimensions do not include surfacing
FFH - Free Fall Height

600mm Wobble Board
L 600 W 195 H 380mm
FFH 380mm



1.6m Wobble Board
L 1600 W 195 H 380mm
FFH 380mm



Parallel Bars
L 2400 W 725 H 1175mm
FFH 1175mm

Tightrope Crossing
L 4695 W 850 H 1200mm
FFH 400mm



Free Standing Tunnel
L 1338 W 850 H 965mm
FFH 135mm



Leap Frog
L 9125 W 125 H 600mm
FFH 600mm

Log Hurdles
L 8125 W 2400 H 903mm
FFH 903mm



Roll Over Bars
L 3200 W 125 H 1100mm
FFH 1100mm



1.5m Chin Ups
L 3200 W 125 H 1500mm
FFH 1500mm

Timber Trails

Dimensions do not include surfacing
FFH - Free Fall Height



Crawl Net
L 2107 W 1179 H 599mm
FFH 599mm



Spider Web Net
L 3243 W 3243 H 1500mm
FFH 459mm



Wobble Log Bridge
L 2700 W 1200 H 1700mm
FFH 536mm



Rope Junction
L 2850 W 1500 H 1600mm
FFH 575mm



Rope Crossing
L 2650 W 1000 H 1400mm
FFH 450mm



Wobble Bridge
L 2700 W 1200 H 1400mm
FFH 513mm



Burma Bridge
L 3000 W 1125 H 1450mm
FFH 523mm



Suspension Bridge
L 2225 W 1300 H 1400mm
FFH 513mm

Steel feet

Galvanised steel feet can be fitted on all Timber Trails for a small additional charge. Steel feet offer an alternative to in-ground timbers and can be used in both wet pour and extended for loose fill surfacing.

Timber Trails

Dimensions do not include surfacing
FFH - Free Fall Height



Rope Bridge
L 2650 W 1125 H 1400mm
FFH 1400mm

Underground Tunnel
L 1925 W 1450 H 1200mm
FFH Dependant on mound

Mound not included.





Rope Tunnel
L 2700 W 1000 H 1425mm
FFH 1425mm

Sleeper Tunnel With Steps
L 2400 W 1390 H 1700mm
FFH 859mm



Slalom Rope Walk
L 4322 W 695 H 1800mm
FFH 458mm



Cross Rope
L 3350 W 250 H 2700mm
FFH 1000mm

Rope Walk
L 3350 W 250 H 2700mm
FFH 460mm





Drop Rope Traverse
L 3350 W 300 H 2500mm
FFH 521mm

Steel feet

Galvanised steel feet can be fitted on all Timber Trails for a small additional charge. Steel feet offer an alternative to in-ground timbers and can be used in both wet pour and extended for loose fill surfacing.

Timber Trails

Dimensions do not include surfacing
FFH - Free Fall Height

Tarzan Traverse
L 3350 W 300 H 2700mm
FFH 520mm



Log Roll
L 3350 W 250 H 2700mm
FFH 462mm

Log Rope
L 3000 W 450 H 2575mm
FFH 436mm



Log Roll with Drop Ropes
L 3350 W 225 H 2500mm
FFH 462mm



Rope Weave
L 3350 W 300 H 2700mm
FFH 520mm

Vertical Spider Net
L 3000 W 300 H 2550mm
FFH 2550mm





Monkey Bars
L 2862 W 1110 H 1850mm
FFH 1850mm

Monkey Bar Log
L 3450 W 720 H 2085mm
FFH 1975mm



Tarzan Ring Beam
L 3162 W 1110 H 2050mm
FFH 1750mm

Timber Trails

Dimensions do not include surfacing
FFH - Free Fall Height



A Frame Mini
L 1800 W 1465 H 1000mm
FFH 1000mm



A-Frame Low
L 1974 W 1600 H 1500mm
FFH 1500mm



A-Frame High
L 2093 W 1974 H 2000mm
FFH 2000mm



A-Frame Low with Nets
L 1516 W 2110 H 1500mm
FFH 1500mm



Log Climber Low
L 1692 W 1849 H 1500mm
FFH 1500mm



A-Frame High with Nets
L 2000 W 2110 H 2000mm
FFH 2000mm



Log Climber High
L 2093 W 1849 H 2000mm
FFH 2000mm



Low Boulder Climber
L 1525 W 1595 H 1500mm
FFH 1500mm



High Boulder Climber
L 2801 W 1974 H 2000mm
FFH 2000mm

Steel feet

Galvanised steel feet can be fitted on all Timber Trails for a small additional charge. Steel feet offer an alternative to in-ground timbers and can be used in both wet pour and extended for loose fill surfacing.

Timber Trails

Dimensions do not include surfacing
FFH - Free Fall Height



Climb Net
L 150 W 2060 H 1500mm
FFH 1500mm



Mini Twist Net
L 2632 W 1100 H 1500mm
FFH 1500mm

Climb Ladder
L 150 W 1350 H 1730mm
FFH 1730mm



Timber Gate Climber
L 1900 W 312 H 1900mm
FFH 1900mm



Twist Net
L 3150 W 2295 H 1900mm
FFH 1900mm



Traverse Wall
L 2850 W 150 H 1800mm
FFH 500mm (Double Sided)



Wall Net Combo
L 6770 W 150 H 2380mm
FFH 1139mm (Double Sided)

Traverse Weave Combo
L 2764 W 802 H 2100mm
FFH 599mm (Double Sided)



Jigsaw Traverse Wall
L 2670 W 825 H 1850mm
FFH 599mm

Timber Trails

Dimensions do not include surfacing
FFH - Free Fall Height



Zig Zag Traverse Wall
L 3922 W 840 H 1800mm
FFH 599mm



Sleeper Climb Wall
L 4000 W 385 H 2340mm
FFH 2340mm (Double Sided)

6m Sleeper Traverse Wall
L 6000 W 190 H 1755mm
FFH 590mm



Zig-Zag Sleeper Traverse Wall
L 2720 W 775 H 1755mm
FFH 590mm



Embankment Ramp
L 2196 W 1350 H 1300mm
FFH 275mm

FFH is assuming the ramp is situated on a bank with no drops.

Recommended angle for embankment is 30 degrees.



Regular Embankment Net
L 3640 W 2235 H 599mm
FFH 599mm



Medium Embankment Net
L 4305 W 2475 H 599mm
FFH 599mm





Large Embankment Net
L 5050 W 2800 H 825mm
FFH 825mm

Steel feet

Galvanised steel feet can be fitted on all Timber Trails for a small additional charge. Steel feet offer an alternative to in-ground timbers and can be used in both wet pour and extended for loose fill surfacing.

Timber Trails

Dimensions do not include surfacing
FFH - Free Fall Height



Trail 1

L=21m W=1.6m Not including Safety Surface

Consists of: *Sloping Balance Walk, Balance Walk, Drop Rope Traverse, 200mm Stepping Logs, Sloping Balance Weave, Balance Challenge.*

Trail 2

L=21m W=0.64m Not including Safety Surface

Consists of: *Sloping Balance Walk, Cross Rope, 200mm Stepping Logs, Log Rope, Log Snake, Rope Walk, Walk and Stretch. Sloping Balance Walk.*

Trail 3

L=20m W=1.3m Not including Safety Surface

Consists of: *Sloping Balance Walk, Suspension Bridge, Log Snake, Log Roll, 200mm Stepping Logs, Burma Bridge, Sloping Balance Walk, Log Snake Weaver.*

Trail 4

L=25.5m W=1.1m Not including Safety Surface

Consists of: *Tightrope Crossing, Rope Tunnel, 200mm Stepping Logs, Balance Walk, Traverse Weave Combo, Climb Ladder, Tarzan Ring Beam.*

All trails can be arranged differently to suit your needs.

Trail 5

L=17.5m W=1.2m Not including Safety Surface

Consists of: *200mm Stepping Logs, Crawl Net, Slalom Rope Walk, Rope Weave, 1.6m Wobble Board, Balance Slalom.*



Trail 6

L=24m W=1.6m Not including Safety Surface

Consists of: *Balance Challenge, Log Rope, 200mm Stepping Logs, Double Sloping Balance Weave, Drop Rope Traverse, Balance Slalom.*

Trail 7

L=22.9m W=1.2m Not including Safety Surface

Consists of: *Tightrope Crossing, Wobble Bridge, 200mm Stepping Logs, Log Roll with Drop Ropes, Rope Bridge, Sloping Balance Weave.*

Trail 8

L=13.75m W=0.6m Not including Safety Surface

Consists of: *Balance Walk, Rope Walk, Log Rope, Cross Rope Balance Walk.*

All trails can be arranged differently to suit your needs!

Timber Trails

Dimensions do not include surfacing
FFH - Free Fall Height

Trail 9

L=9m W=0.8m Not including Safety Surface

Consists of: *Slalom Rope Walk, Log Snake, Jigsaw Traverse Wall.*



Trail 10

L=10.5m W=1.2m Not including Safety Surface

Consists of: *Sloping Balance Weave, Log Snake Weaver, Balance Slalom, Free Standing Tunnel.*



Steel Trail 1

L=12.1m W=1.6m Not including Safety Surface

Consists of: *Sloped Balance Beam, Drop Rope Traverse, Slalom Rope Walk, Sloping Balance Weave.*

Steel Trail 2

L=14.2m W=0.45m Not including Safety Surface

Consists of: *Sloped Balance Beam, Rope Walk, Log Rope, Cross Rope, Sloped Balance Beam.*

Steel feet

Galvanised steel feet can be fitted on all Timber Trails for a small additional charge. Steel feet offer an alternative to in-ground timbers and can be used in both wet pour and extended for loose fill surfacing.

Steel Trails

Dimensions do not include surfacing
FFH - Free Fall Height



Different paint options available upon request

Steel Trails

Dimensions do not include surfacing
FFH - Free Fall Height



Different paint options available upon request

The ability to offer unrivalled value for money whilst still ensuring exceptional quality and longevity is key. The Adventure Trails range accommodates all ages, budgets and play scheme sizes. Our uncompromising approach to safety during the design and manufacturing process is paramount.

With this in mind all the Timber Trail items have been independently certified by the Play Inspection Company to meet the demands BS EN 1176.

In order to ensure the highest level of accuracy, all units are produced on a custom made, state of the art, 6 Axis CNC machine. This technology allows us to offer unparalleled accuracy in the field of play timber production.

Trim Trail

Tel: 0330 124 2753 E-Mail: info@trimtrail.co.uk www.trimtrail.co.uk

Trim Trail Ltd, Second Ave, Radnor Park Industrial Estate, Congleton, Cheshire, CW12 4XJ