PlayFrames
Trim Trail



Spire

L: 2900 **W:** 3223 **H:** 2600mm
FFH: 530mm
Min Surface Area: 34m²
Min Space: 6.23m x 5.9m
Consists of:
Log Rope
Rope Walk
Balance Beam
Stepping Logs



Elevate

L: 4125 **W:** 2900 **H:** 2600mm
FFH: 550mm
Min Surface Area: 39.3m²
Min Space: 7.12m x 5.9m
Consists of:
Log Rope
Wobble Bridge
Rope Walk
Balance Beam



Crest

L: 2950 **W:** 2875 **H:** 2522mm
FFH: 1360mm
Min Surface Area: 32.9m²
Min Space: 5.95m x 5.9m
Consists of:
Traverse Net
Zig Zag Steel Bars
Log Climber
Chin Up Bar
Rope Chain Traverse



Ascent

L: 3512 **W:** 3062 **H:** 2600mm
FFH: 1490mm
Safety Surface Area: 37.56m²
Min Space: 6.5 x 6.1m
Consists of:
Rope Walk
Log Roll with Drop Ropes
Cross Rope
Timber Log Climber



Peak

L: 3631 **W:** 3162 **H:** 2650mm
FFH: 1290mm
Safety Surface Area: 38.5m²
Min Space: 6.16 x 6.63m
Consists of:
Log Rope
Timber Log Climber
Rope Walk
Traverse Net
Drop Rope Traverse



Apex

L: 3675 **W:** 3206 **H:** 2600mm
FFH: 599mm
Safety Surface Area: 39.16m²
Min Space: 6.67 x 6.20m
Consists of:
Jigsaw Traverse Panels
Balance Beam
Rope Walk
Log Rope
Tarzan Traverse

Altitude

L: 5862 W: 2216 H: 2485mm
FFH: 1747mm
Safety Surface Area: 42.73m²
Min Space: 8.96 x 5.31m
Consists of:
Tarzan Ring Beam
Jigsaw Traverse Panels
Traverse Net
Rope Walk
Chin Up Bar





Vertex

L: 5125 W: 3566 H: 2690mm
FFH: 1370mm
Safety Surface Area: 49.87m²
Min Space: 8.13 x 6.56m
Consists of:
Jigsaw Traverse Panels
Traverse Net
Timber Log Climber
Balance Beam x2
Tarzan Traverse
Cross Rope
Log Roll with Drop Ropes
Rope Walk

Zenith

L: 6312 W: 3281 H: 2600mm
FFH: 1345mm
Total Safety Surface Area: 55.8m²
Min Space: 9.31 x 6.28m
Safety Surface Area Split
FFH < 600mm = 10.75m²
FFH 600 > 1500 = 45m

Consists of:
Traverse Net
Tarzan Traverse
Log Rope
Cross Rope
Log Roll with Drop Ropes
Rope Walk
Balance Beam
Timber Log Climber



Summit

L: 6356 W: 6025 H: 2600mm
FFH: 1777mm



Safety Surface Area: 81.77m²
Min Space: 8.94 x 9.39m
Safety Surface Area Splits (mm)
FFH 1500 > 1777mm = **20.82m²**
FFH 1500>2190mm = **60.95m²**

Consists of:
Jigsaw Traverse Panels
Rope Weave
Traverse Net
Log Rope
Rope Walk
Timber Log Climber
Tarzan Traverse
Cross Rope
Balance Beam
Log Roll
Tarzan Ring Beam

Pinnacle

L: 9475 W: 5925 H: 2600mm
FFH: 2190mm
Safety Surface Area: 107.58m²
Min Space: 12.4 x 8.92m

Safety Surface Area Split (mm)
FFH < 600mm = **25.25m²**
FFH 600 > 1500mm = **58.34m²**
FFH 1500>2190mm = **23.99m²**

Consists of:
Jigsaw Traverse Panels
Rope Weave
Traverse Net
Log Rope
Rope Walk
Timber Log Climber
Tarzan Traverse
Spider Web Net
Drop Rope Traverse
Cross Rope
Balance Beam
Log Roll

Tri Play Challenge 1

Product Size - L: 1842 W: 1599 H: 2445mm
Safety Surface Area: 17.94m²
Minimum Space Required: 5.3 x 4.6m





Option 1

FFH: 595mm
Consists Of:
Beam Traverse
Steel Slalom
Rope Traverse



Option 2

FFH: 1163mm
Consists Of:
Rope Traverse
Weave Traverse
Net Traverse



Option 3

FFH: 594mm
Consists Of:
Beam Traverse
Weave Traverse
Drop Rope Traverse

Option 4

FFH: 690mm
Consists Of:
Drop Rope Traverse
Steel Slalom
Jigsaw Traverse Wall

All Tri Play Challenges are supplied with steel feet as standard

Tri Play Challenge 2

Product Size - L: 3279 W: 1842 H: 2520mm
Safety Surface Area: 23.8m²
Minimum Space Required: 6.28 x 4.84m

Option 1

FFH: 1203mm
Consists Of:
Beam Traverse
Net Traverse
Weave Traverse
Drop Rope Traverse

Option 2

FFH: 759mm
Consists Of:
Drop Rope Traverse
Steel Slalom
Jigsaw Traverse Wall
Log Roll With Drop Ropes

Option 3

FFH: 1163mm
Consists Of:
Jigsaw Traverse Wall
Weave Traverse
Net Traverse
Rope Traverse



Option 4

FFH: 718mm
Consists Of:
Beam Traverse
Rope Traverse
Steel Slalom
Drop Rope Traverse

All Tri Play Challenges are supplied with steel feet as standard

Tri Play Challenge 3

Product Size - L: 4139 W: 2275 H: 2445mm
Safety Surface Area: 30.2m²
Minimum Space Required: 7.14 x 5.28m





Option 1

FFH: 1163mm
Consists Of:
Beam Traverse
Jigsaw Traverse Wall
Rope Traverse (x2),
Net Traverse
Weave Traverse
Steel Slalom.



Option 2

FFH: 760mm
Consists Of:
Beam Traverse
Weave Traverse
Log Roll With Drop Ropes
Jigsaw Traverse Wall
Steel Slalom
Rope Traverse
Drop Rope Traverse

Option 3

FFH: 1203mm
Consists Of:
Beam Traverse
Jigsaw Traverse Wall
Rope Traverse
Net Traverse
Weave Traverse
Steel Slalom
Drop Rope Traverse

All Tri Play Challenges are supplied with steel feet as standard

Tri Play Challenge 4

Product Size - L: 5573 W: 2446 H: 2470mm
Safety Surface Area: 36.7m²
Minimum Space Required: 8.57 x 5.45m



Option 1

FFH: 1178mm
Consists Of:
Net Traverse
Beam Traverse
Weave Traverse
Log Roll With Drop Ropes
Jigsaw Traverse Wall
Steel Slalom
Drop Rope Traverse
Rope Traverse

Option 2

FFH: 1163mm
Consists Of:
Drop RopeTraverse
Beam Traverse
Net Traverse
Steel Slalom
Rope Traverse (X2)
Jigsaw Traverse Wall
Weave Traverse

Option 3

FFH: 1203mm
Consists Of:
Log Roll With Drop Ropes
Rope Traverse
Jigsaw Traverse Wall
Net Traverse
Drop Rope Traverse
Weave Traverse
Beam Traverse
Steel Slalom

All Tri Play Challenges are supplied with steel feet as standard

Steel Elevate

L: 3968 W: 2922 H: 2500mm
FFH: 575mm
Safety Surface Area: 38.56m²
Min Space: 6.96 x 5.92m
Consists of:
Wobble Bridge
Balance Beam
Rope Walk
Log Rope





Rowton

L: 4700 W: 1660 H: 2110mm
FFH: 2110mm
Safety Surface Area: 43.8m²
Min Space: 5.58 x 8.62m
Consists of:
Climb Net
Rope Walk
Climb Ladder
Chin Up Bars
Monkey Bar Frame





Different paint colour options available on request



Farndon

L: 3220 W: 3100 H: 2329mm
FFH: 2050mm
Safety Surface Area: 47.49m²
Min Space: 7.14 x 7.02m
Consists of:
Climb Wall
Climb Net
Climb Ladder
Vertical Climb Rings
Roll Over Bars/Chin Up Bars
Staggered Ladder
Tarzan Rings Beam
Cross Rope
Rope Walk



Octagonal Farndon

L: 3864 W: 3864 H: 2350mm
FFH: 2031mm
Safety Surface Area: 50.16m²
Min Space: 7.8 x 7.8m
Consists of:
Tarzan Ring Beam
Climb Wall
Ring Climber
Climb Net
Vertical Climb Rings
Chin Up Bars





Different paint colour options available on request

The ability to offer unrivalled value for money whilst still ensuring exceptional quality and longevity is key.
The Playframes range accommodates all ages, budgets and play scheme sizes. Our uncompromising approach to safety during the design and manufacturing process is paramount. With this in mind all the Playframes range are designed to meet the requirements of BS EN 1176.

In order to ensure the highest level of accuracy, all units are produced on a custom made, state of the art, 6 Axis CNC machine. This technology allows us to offer unparalleled accuracy in the field of play timber production.

Trim Trail

Tel: 0330 124 2753 E-Mail: info@trimtrail.co.uk www.trimtrail.co.uk
Trim Trail Ltd, Second Ave, Radnor Park Industrial Estate, Congleton, Cheshire, CW12 4XJ